

Agrichemical and Environmental News

A Monthly Report on Pesticides and Related Environmental Issues

March 2003 • Issue No. 203 • <http://aenews.wsu.edu>

IPM in the Palm of Your Hand **Portable Database Makes Information Convenient**

***Dr. Vincent Jones, Tree Fruit Research Entomologist, and
Dr. Gary Grove, Plant Pathologist, WSU***

Wouldn't it be nice to have all the information you needed to make complex integrated pest management (IPM) decisions available to you while you were in the field? Wouldn't it be great if plant-specific, pest-specific data were accessible, along with each control option's application rate, effective crop stage, toxicity, post-harvest interval, and re-entry interval? And what if all that data fit in the palm of your hand? That was the vision that prompted our project.

The Need for Data

The goal of our 2002 IPM database program was to take advantage of the unique opportunity afforded by the current state of hand-held computing (a.k.a. palm computers, pocket computers, personal digital assistants/PDAs) by developing software that would assist growers, field personnel, and consultants in making complex pest management decisions in the field.

IPM programs are typically more complex than simple, pesticide-based management systems. The very nature of "integrating" multiple methods of pest management means that each situation calls for several pieces of information. Unfortunately, this complexity makes it almost inevitable that decisions are made with inadequate or out-of-date information.



Cooperating agencies: Washington State University, U.S. Department of Agriculture, and Washington Counties.
Cooperative Extension programs and employment are available to all without discrimination.
Evidence of noncompliance may be reported through your local Cooperative Extension office.

FOR FREE SUBSCRIPTION OR CONTACT INFORMATION, SEE END OF ARTICLE.

Educational materials such as manuals, bulletins, Websites, and audio-visual presentations are key factors in helping growers assimilate the increasingly complex range of data involved in newer IPM systems. But we can't always carry all these materials on our backs when we head into the field, where so many decisions are made. In response to this dilemma, we felt that the current state of hand-held computing offered a unique opportunity. The computers are inexpensive (\$150-\$500), have relatively powerful software packages (including relational databases), connect and backup easily to desktop computers, and are small and light enough to fit in a shirt pocket for field use.

Pilot Project: Deciduous Fruits

Deciduous fruits offer a good proving ground for an IPM project. The impact of the Food Quality Protection Act (FQPA) on organophosphate (OP) insecticide use and the shift toward mating disruption of key pests has exacerbated the complexity of integrated pest management in these crops. For example, mating disruption increases the role of natural enemies, but it also increases the diversity of pests encountered because broad-spectrum OPs are no longer providing suppression of secondary and rare pests. Adding further to the complexity of the situation, many consultants are unfamiliar with some of the aspects of the newer pesticides, such as their effects on natural enemies, timing for optimal efficiency, and relative efficacy.

We used the Palm OS platform to develop a relational database based on the current crop recommendations in the Crop Protection Guide for Tree Fruits in Eastern Washington (Washington State University publication EB0419, available at <http://pubs.wsu.edu/>). The database ties together pesticide recommendations and rates for the different pests, relative efficacy of the materials (when known), and the effects of the pesticides on natural enemies. In addition, it lists any precautions, restrictions on re-entry, pre-harvest intervals, and pesticide use patterns. These data are searchable and can be updated by linking to the WSU Tree Fruit Research and Extension Center Website (<http://www.tfrec.wsu.edu/>), where complete documentation is also available.

Future Applications







In our 2002 pilot project, we provided the insecticide and fungicide recommendations for apple, pear, cherry, peaches and nectarines, and apricot. The databases were available for Palm OS computers, and for Windows (using Microsoft Access and FileMaker Pro) and Macintosh (using FileMaker Pro) operating systems. The data files can be shared between systems and the interfaces are set up to be as similar as possible.

The database format is very adaptable; it could be used readily on almost any crop where pesticide recommendations and data on effects of the pesticides on natural enemies are available. To adapt it to another crop, one would replace the crop stage names (e.g., delayed dormant, petal fall) with those appropriate for the new crop and change the pest and natural enemy names to those pertaining to the new crop. Such changes could be input by a


knowledgeable programmer in a matter of minutes. Beyond that, one would enter the pesticide information specific to the new crop, each pest, and each of the natural enemies. In our pilot project, we used the framework we developed for insects to enter the disease recommendations, with very few changes.

Following are a number of screen shots showing our system in action. We hope this project leads others to utilize this convenient technology to make IPM data available in the field.

Example of Hand-Held Computer Screens Using Tree Fruit Database

 <p>display pop-up crop stage pop-up pest pop-up</p> <p>▼ apple_2002 ▼ All</p> <p>▼ common no filter</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>common</th> <th>pest</th> <th>rate/</th> </tr> </thead> <tbody> <tr><td>abamectin</td><td>WTLM</td><td>10 fl oz</td></tr> <tr><td>abamectin</td><td>WTLM</td><td>10 fl oz</td></tr> <tr><td>azinphos meth</td><td>CM</td><td>3 lbs</td></tr> <tr><td>azinphos meth</td><td>Grape MB</td><td>2-3 lbs</td></tr> <tr><td>azinphos meth</td><td>Grape MB, Gr</td><td>2-3 lbs</td></tr> <tr><td>azinphos meth</td><td>Grape MB</td><td>2-3 lbs</td></tr> <tr><td>azinphos meth</td><td>Grape MB</td><td>2-3 lbs</td></tr> <tr><td>azinphosmeth</td><td>CM, GMB</td><td>2-3 lbs</td></tr> <tr><td>Bacillus thurin</td><td>PLR, OBLR</td><td>1-2 lbs</td></tr> <tr><td>Bacillus thurin</td><td>PLR, OBLR</td><td>1-2 lbs</td></tr> </tbody> </table> <p style="text-align: right;">91/91</p>	common	pest	rate/	abamectin	WTLM	10 fl oz	abamectin	WTLM	10 fl oz	azinphos meth	CM	3 lbs	azinphos meth	Grape MB	2-3 lbs	azinphos meth	Grape MB, Gr	2-3 lbs	azinphos meth	Grape MB	2-3 lbs	azinphos meth	Grape MB	2-3 lbs	azinphosmeth	CM, GMB	2-3 lbs	Bacillus thurin	PLR, OBLR	1-2 lbs	Bacillus thurin	PLR, OBLR	1-2 lbs	 <p>▼ apple_2002 All</p> <p>▼ common</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>common</th> <th>pest</th> </tr> </thead> <tbody> <tr><td></td><td>Dormant</td></tr> <tr><td></td><td>DD</td></tr> <tr><td></td><td>prepink</td></tr> <tr><td></td><td>pink</td></tr> <tr><td></td><td>bloom</td></tr> <tr><td></td><td>petal fall</td></tr> <tr><td></td><td>2-4 wk after full...</td></tr> <tr><td></td><td>late sping-sum...</td></tr> <tr><td></td><td>preharvest</td></tr> <tr><td></td><td>Unfiled</td></tr> <tr><td></td><td>Edit Categories...</td></tr> </tbody> </table> <p style="text-align: right;">91/91</p>	common	pest		Dormant		DD		prepink		pink		bloom		petal fall		2-4 wk after full...		late sping-sum...		preharvest		Unfiled		Edit Categories...	 <p>▼ apple_2002 ▼ late sping-sum</p> <p>▼ common no filter</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>common</th> <th>pest</th> </tr> </thead> <tbody> <tr><td></td><td>CM</td></tr> <tr><td></td><td>LR</td></tr> <tr><td></td><td>LAC</td></tr> <tr><td></td><td>Cutworm</td></tr> <tr><td></td><td>WTLM</td></tr> <tr><td></td><td>aphids</td></tr> <tr><td></td><td>Grape MB</td></tr> <tr><td></td><td>WALH</td></tr> <tr><td></td><td>WALH</td></tr> <tr><td></td><td>Bugs</td></tr> <tr><td></td><td>SJS</td></tr> <tr><td></td><td>Misc.</td></tr> </tbody> </table> <p style="text-align: right;">28/91</p>	common	pest		CM		LR		LAC		Cutworm		WTLM		aphids		Grape MB		WALH		WALH		Bugs		SJS		Misc.
common	pest	rate/																																																																																			
abamectin	WTLM	10 fl oz																																																																																			
abamectin	WTLM	10 fl oz																																																																																			
azinphos meth	CM	3 lbs																																																																																			
azinphos meth	Grape MB	2-3 lbs																																																																																			
azinphos meth	Grape MB, Gr	2-3 lbs																																																																																			
azinphos meth	Grape MB	2-3 lbs																																																																																			
azinphos meth	Grape MB	2-3 lbs																																																																																			
azinphosmeth	CM, GMB	2-3 lbs																																																																																			
Bacillus thurin	PLR, OBLR	1-2 lbs																																																																																			
Bacillus thurin	PLR, OBLR	1-2 lbs																																																																																			
common	pest																																																																																				
	Dormant																																																																																				
	DD																																																																																				
	prepink																																																																																				
	pink																																																																																				
	bloom																																																																																				
	petal fall																																																																																				
	2-4 wk after full...																																																																																				
	late sping-sum...																																																																																				
	preharvest																																																																																				
	Unfiled																																																																																				
	Edit Categories...																																																																																				
common	pest																																																																																				
	CM																																																																																				
	LR																																																																																				
	LAC																																																																																				
	Cutworm																																																																																				
	WTLM																																																																																				
	aphids																																																																																				
	Grape MB																																																																																				
	WALH																																																																																				
	WALH																																																																																				
	Bugs																																																																																				
	SJS																																																																																				
	Misc.																																																																																				
<p>SCREEN 1: Start screen with arrows showing pop-ups for crop stage, pest, and display.</p>	<p>SCREEN 2: Pop-up window for crop stage is shown.</p>	<p>SCREEN 3: Having selected "late spring-summer" for crop stage, this pop-up window allows selection of pest.</p>																																																																																			
 <p>▼ apple_2002 ▼ late sping-sum</p> <p>▼ common CM</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>common</th> <th>pest</th> </tr> </thead> <tbody> <tr><td>azinphosmethyl</td><td>CM, GMB</td></tr> <tr><td>hort oil and isomate</td><td>CM</td></tr> <tr><td>methoxyfenozide</td><td>CM</td></tr> <tr><td>phosmet</td><td>CM, GMB</td></tr> </tbody> </table> <p style="text-align: right;">4/91</p>	common	pest	azinphosmethyl	CM, GMB	hort oil and isomate	CM	methoxyfenozide	CM	phosmet	CM, GMB	 <p>Recd 7 of 91 ▼ late sping-summer</p> <p>common: azinphosmethyl trade: Guthion 50 WP</p> <p>Info Efficacy Notes</p> <p>rate/acre: 2-3 lbs rate/100 g: 0.5-0.75 lbs use period: late spring-summer pest: CM, GMB tox class: ▼ I bee tox: ▼ I PHI: 21 d REI: see restrictions</p> <p>OK Cancel</p>	 <p>Recd 7 of 91 ▼ late sping-summer</p> <p>common: azinphosmethyl trade: Guthion 50 WP</p> <p>Info Efficacy Notes</p> <p>High: CM, Grape MB Moderate: PLR (adults), Grape MB</p> <p>Typhs: ▼ Low ARM: ▼ Low G. florus: ▼ High P. flavipes: ▼ Low Coccinellids: ▼ High</p> <p>OK Cancel</p>																																																																									
common	pest																																																																																				
azinphosmethyl	CM, GMB																																																																																				
hort oil and isomate	CM																																																																																				
methoxyfenozide	CM																																																																																				
phosmet	CM, GMB																																																																																				
<p>SCREEN 4: Having chosen "CM (codling moth)" for pest, four control options are shown as being available.</p>	<p>SCREEN 5: Having selected control option "azinphosmethyl," a variety of information including trade name, rates, use period, pests controlled, toxicity, REI, and PHI are shown.</p>	<p>SCREEN 6: Having selected the "efficacy" tab on the previous screen, this screen shows which pests are controlled and how effective this control is on each, plus the effect on natural enemies.</p>																																																																																			

Agrichemical and Environmental News



Vince Jones is with the Washington State University (WSU) Department of Entomology. His office is at the Tree Fruit Research and Extension Center (TFREC) in Wenatchee. He can be reached at (509) 663-8181 or vpjones@wsu.edu. Gary Grove is with the WSU Department of Plant Pathology. His office is at the Irrigated Agriculture Research and Extension Center (IAREC) in Prosser. He can be reached at (509) 786-9283 or grove@wsu.edu.

Palm OS is a registered trademark of PalmSource, Inc. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and other countries. FileMaker is a trademark of FileMaker, Inc., and Macintosh is a trademark of Apple Computer, Inc., registered in the United States and other countries.

The work described in this article is just one of many integrated pest management (IPM) efforts underway in Washington State. Several other Washington IPM projects are detailed in the March and April issues of *Agrichemical and Environmental News*, available on the Internet at <http://aenews.wsu.edu>. For additional information on IPM in Washington State, please consult the following resources:

Urban IPM
Carrie Foss
(253) 445-4577
cfoss@wsu.edu

Ag IPM
Doug Walsh
(509) 786-9287
dwalsh@tricity.wsu.edu

CSANR
Center for Sustaining Agriculture
and Natural Resources
Chris Feise
(253) 445-4626
<http://csanr.wsu.edu/>

WSPRS
Washington State Pest Management
Resource Service
Catherine Daniels
(253) 445-4611
<http://wsprs.wsu.edu>

FREE SUBSCRIPTION

If you would like to receive monthly e-mail notification when each month's new issue goes on-line, please send an e-mail to majordomo@tricity.wsu.edu. The body of message should read `subscribe aenews_dist`, and nothing (not even a signature line) should follow the subscribe message. **AENews welcomes your comments. Please direct any comments on newsletter content to Catherine Daniels, Managing Editor, (253) 445-4611, fax (253) 445-4569, or cdaniels@tricity.wsu.edu.** Comments regarding newsletter format, Web usability, or other general concerns may be addressed to Sally O'Neal Coates, Editor, (509) 372-7378, fax (509) 372-7491, or scoates@tricity.wsu.edu